VELMOC®

it helps to create

INDUSTRIAL

POWER TOOLS & ACCESSORIES

CATALOGUE
2021-22



Premium Series

गुणवत्ता सर्वप्रथम

Toll Free: 1800 890 1405
www.velmoctools.com

VELMOC it helps to create | RDX POWER TOOLS | SuperTech हर दिन, हर पल, सर्वोत्तम... | योद्धा YODHA The Warrior

ABOUT US

Velmoc international is the premier provider of high-quality and innovative Power tools, Abrasives, Diamond Saw Blades, TCT and a wide range of other technically advanced tools to clients from diverse backgrounds and industries. The company has been at the forefront of delivering best in class tools that boast of high-quality and standards. Our products are duly tested for unwavering quality, reliability, durability and performance, which further empower us to offer the best shopping experience to clients including leading businesses and factories.

Velmoc International has introduced several brands in the market. Our popular brands like SUPERTECH, VELMOC, RDX,YODHA are preferred by professionals for their specific needs and applications. Our products lays emphasis on features like low noise operation, high performance, high durability, user friendly, easy to repair, reasonable price and above all sturdy and long lasting for their products.

Guided by the old-age philosophy of putting the customers first, we at Velmoc International are always striving to achieve development across all our operations. We believe in providing 100% customer satisfaction through assortment of products and proactive services enabled by excellent market insight, advanced engineering& production, innovative designing & development methods and testing equipments.

With years of experience and know-how in the field of designing and development of agricultural tools, machine tools and accessories, we are committed to providing vendors with a variety of products that further allow them to fulfill the market demands efficiently.

The company takes great pride in supplying genuine and best quality products through their extensive network of suppliers. With over 500 distributors & 1000 dealers across India, the company has emerged as the market leader in supplying world class power tools, abrasives, accessories and more.

INDEX

PRODUCT CATEGORY	PAGE NO.
POWER TOOLS	01-15
ACCESSORIES	16-19
SPARE PARTS	20-24

ANGLE GRINDER 100mm — VAG-4-1000



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1000W
No-load Speed	11000r/min
Max Disc Diameter	100mm

ANGLE GRINDER 125mm — VAG-125-1400



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1400W
No-load Speed	11000r/min
Max Disc Diameter	125mm

MARBLE CUTTER 110mm — VMC-4-1450



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1450W
No-load Speed	13000r/min
Max Blade Diameter	110mm

STONE CUTTER 125mm — VMC-5-1800SC



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1800W
No-load Speed	12000r/min
Max Blade Diameter	125mm

WOOD CUTTER 125mm — VMC-5-1800WC



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1800W
No-load Speed	12000r/min
Max Blade Diameter	125mm

DRILL MACHINE 10MM — VED-10-500



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	500W
No-load Speed	0-3300r/min
Max Chuck Diameter	10mm

IMPACT DRILL MACHINE 13MM — VID-13-750



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	750W
No-load Speed	0-3000r/min
Max Chuck Diameter	13mm

SCREW DRIVER 10MM — VSD-10-400



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	400W
No-load Speed	0-750r/min
Max Chuck Diameter	10mm

MITER SAW 255mm — VMS-255-1800



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1800W
No-load Speed	6000r/min
Max Blade Diameter	255mm

MITER SAW 305mm — VMS-305-2200



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	2200W
No-load Speed	3900r/min
Max Blade Diameter	305mm

BRUSH CUTTER 4 STROKE — VBC-04-250




Engine	4 Stroke
Input Power	1400W
No-load Speed	11000r/min
Max Blade Diameter	255mm

BACKPACK BRUSH CUTTER 4 STROKE — VBC-05-4BP



Engine	4 Stroke
Input Power	1400W
No-load Speed	11000r/min
Max Blade Diameter	255mm

ELECTRIC CHAIN SAW 16” — VCS-16-1550



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1550W
No-load Speed	400r/min
Max Bar Length	405mm

ELECTRIC CHAIN SAW 22” — VCS-22-2650



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	2650W
No-load Speed	6600r/min
Max Bar Length	540mm

GASOLINE CHAIN SAW 22” — VGC-58-022



Engine	2 Stroke
Displacement	58cc
Input Power	2200W
Max Bar Length	550mm

GASOLINE CHAIN SAW 22” — VGC-62-550



Engine	2 Stroke
Displacement	62cc
Input Power	2500W
Max Bar Length	550mm

CONCRETE VIBRATOR (35MM X 2M) VVB-35-1250





Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1250W
No-load Speed	4000r/min
Max Rod Diameter	35mm

CONCRETE VIBRATOR (50mm x 3.5m) VVB-50-2200





Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	2200W
No-load Speed	4800r/min
Max Rod Diameter	50mm

ROTARY HAMMER 24mm VRH-24-900



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	900W
No-load Speed	0-1000r/min
Max Chuck Diameter	24mm

ROTARY HAMMER 3.26 (3 Mode) VRH-26-1050



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1050W
No-load Speed	0-950r/min
Max Chuck Diameter	26mm

DEMOLITION HAMMER 6 KG VDH-6-1250



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1250W
No-load Speed	3400BPM
Chisel Diameter	17mm

DEMOLITION HAMMER 7 KG VDH-7-1300




Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1300W
No-load Speed	1300r/min
Chisel Diameter	17mm

DEMOLITION HAMMER 11 KG VDM-11-2000



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	2000W
No-load Speed	200-2100BPM
Chisel Diameter	18mm

DEMOLITION HAMMER 16 KG VDH-65-2100



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	2100W
No-load Speed	1900BPM
Chisel Diameter	30mm

CUT OFF MACHINE 355mm — VCO-355-2500



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	2500W
No-load Speed	3900r/min
Max Blade Diameter	355mm

PLANNER 82MM — VPM-82-850



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	850W
No-load Speed	16000r/min
Max Blade Width	82mm

HIGH PRESSURE WASHER — VPW-210-2300



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	2300W
Flow	450L/H
Max Pressure	210 Bar

WALL CHASER (7 Blade) — VWC-7-2700




Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	2700W
No-load Speed	5000r/min
Max Blade Diameter	125mm

ROUTER TRIMMER — VTM-6-700



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	700W
No-load Speed	30000r/min
Bit Shank	6.35mm

ELECTRIC BLOWER — VBL-3-950



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	950W
No-load Speed	0-16000r/min
Max Capacity Dia.	3.0m³/min

CHAIN SHARPENER — VCS-110-250



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	250W
No-load Speed	4800r/min
Max. Blade Diameter	108mm

CORDLESS ANGLE GRINDER 100mm — VCAG-4-21V



Rated Voltage	21V
Battery	4.0 AH
Main Thread	M10
No-load Speed	10,000r/min
Max Disc Diameter	100mm

WELDING MACHINE 200 AMP — VWM-1-200



Rated Voltage	160-250~
Output Current	20-200A
Input Power	7.6KVA
Electrode Dia	2.5-4.0mm

WELDING MACHINE 200 AMP — VWM-4-200



VELMOC I & II PH

Rated Voltage	120-560~
Output Current	0-200A
Input Power	8.6KVA
Electrode Dia	2.5-4.0mm

WELDING MACHINE 250 AMP — VWM-2-250



Rated Voltage	160-250~
Output Current	20-250A
Input Power	8.7KVA
Electrode Dia	2.5-4.0mm

WELDING MACHINE 250 AMP — VWM-5-250



VELMOC I & II PH

Rated Voltage	120-560~
Output Current	20-250A
Input Power	9.7KVA
Electrode Dia	2.5-4.0mm

WELDING MACHINE 300 AMP — VWM-3-300



Rated Voltage	160-250~
Output Current	20-300A
Input Power	9.4KVA
Electrode Dia	2.5-5.0mm

WELDING MACHINE 300 AMP — VWM-6-300



VELMOC I & II PH

Rated Voltage	120-560~
Output Current	20-300A
Input Power	11.1KVA
Electrode Dia	2.5-5.0mm

AIR COMPRESSOR — VAC-1-050



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	3.0 HP
Max. Tank Capacity	50 Ltr

AIR COMPRESSOR — VAC-2-50D



VELMOC Double Motor

Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	4.0 HP
Max. Tank Capacity	50 Ltr

ANGLE GRINDER 100mm — STAG1-105



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	750W
No-load Speed	11000r/min
Max Disc Diameter	100mm

ANGLE GRINDER 100mm — STAG2-100



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	850W
No-load Speed	11000r/min
Max Disc Diameter	100mm

ANGLE GRINDER 100mm — STAG3-950

HIGH QUALITY



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	950W
No-load Speed	11000r/min
Max Disc Diameter	100mm

ANGLE GRINDER 100mm — STAG4-901



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	850W
No-load Speed	11000r/min
Max Disc Diameter	100mm

ANGLE GRINDER 125mm — STAG5-125



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1200W
No-load Speed	8500r/min
Max Disc Diameter	125mm

MARBLE CUTTER 110mm — STMC1-110



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1050W
No-load Speed	11000r/min
Max Blade Diameter	110mm

MARBLE CUTTER 110mm — STMC2-4SB



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1240W
No-load Speed	11000r/min
Max Blade Diameter	110mm

MARBLE CUTTER 125mm — STMC3-125



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1400W
No-load Speed	3900r/min
Max Blade Diameter	125mm

ROTARY HAMMER 20mm R/F — STRH1-020



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	650W
No-load Speed	0-850r/min
Max Chuck Diameter	20mm

ROTARY HAMMER 26mm R/F — STRH2-026



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	850W
No-load Speed	0-1100r/min
Max Chuck Diameter	26mm

DEMOLITION HAMMER 5 KG — STDM1-810



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1050W
No-load Speed	3600r/min
Chisel Diameter	17mm

DEMOLITION HAMMER 5 KG — STDM2-820

BOLT TYPE



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1200W
No-load Speed	2900r/min
Chisel Diameter	17mm

DEMOLITION HAMMER 16 KG — STDM2-016



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1800W
No-load Speed	1400r/min
Chisel Diameter	30mm

PAINT MIXER — STMX1-160



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1050W
No-load Speed	780r/min
Max Rod Size	13mm

CONCRETE VIBRATOR — STVB1-850



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	850W
No-load Speed	4000r/min
Max Rod Diameter	35mm

SANDER POLISHER 180mm — STSP1-180



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1200W
No-load Speed	0-2300r/min
Max Disc Diameter	180mm

DRILL MACHINE 10MM — STED1-010



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	300W
No-load Speed	2600r/min
Max Chuck Diameter	10mm

DRILL MACHINE 10mm — STED2-10A



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	400W
No-load Speed	2800r/min
Max Chuck Diameter	10mm

DRILL MACHINE 10/13mm — STED4-013



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	650W
No-load Speed	1250r/min
Max Chuck Diameter	10mm

IMPACT DRILL MACHINE 13mm — STID4-13H



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	650W
No-load Speed	1800r/min
Max Chuck Diameter	13mm

IMPACT DRILL MACHINE 13mm — STID5-13R



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	700W
No-load Speed	0-2800r/min
Max Chuck Diameter	13mm

IMPACT DRILL MACHINE 13mm — STID6-13B



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	550W
No-load Speed	0-2800r/min
Max Chuck Diameter	13mm

IMPACT DRILL MACHINE 13mm — STID7-13A



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1000W
No-load Speed	0-2800r/min
Max Chuck Diameter	13mm

JIG SAW 70MM LED — STJS2-070



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	710W
No-load Speed	0-3000r/min
Max Cut Depth	70mm

CIRCULAR SAW 180mm — STCS1-185



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1250W
No-load Speed	4900r/min
Max Blade Diameter	180mm

ROUTER TRIMMER 6.35mm — STTM1-06A



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	530W
No-load Speed	30000r/min
Bit Shank	6.35mm

ROUTER 12mm — STRM1-036



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1600W
No-load Speed	23000r/min
Bit Shank	12/8mm

ROUTER 12mm — STRM2-12E



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1600W
No-load Speed	23000r/min
Bit Shank	12/8mm

PLANNER 82mm — STPM1-082



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	600W
No-load Speed	16000r/min
Max Blade Width	82mm

PLANNER 82mm — STPM2-19B



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	600W
No-load Speed	16000r/min
Max Blade Width	82mm

ORBITAL SANDER — STOS1-185



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	750W
No-load Speed	11000r/min
Max Diameter	93x185mm

HIGH PRESSURE WASHER — STCW1-070

COPPER MOTOR



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1800W
Flow	390L/H
Pressure	100 Bar


ELECTRIC CHAIN SAW 405mm — STCS1-016



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1300W
No-load Speed	400r/min
Max Bar Length	405mm

ELECTRIC CHAIN SAW 405mm — STCS2-5016

HIGH QUALITY



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1550W
No-load Speed	400r/min
Max Bar Length	405mm

GASOLINE CHAIN SAW 550mm — STGC1-022

18" Also Available



Engine	2 Stroke
Displacement	58cc
Input Power	2200W
Max Bar Length	550mm
Fuel Type	Petrol

GASOLINE CHAIN SAW 550mm — STGC2-550

18" Also Available




Engine	2 Stroke
Displacement	62cc
Input Power	3500W
Max Bar Length	550mm
Fuel Type	Petrol

ELECTRIC CHAIN SHARPENER — STCS4-300



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	300W
No-load Speed	8400r/min
Max Blade Diameter	100mm

GASOLINE EARTH AUGER — STGA1-052



Displacement	52cc
No-load Speed	8500r/min
Max Drill Capacity	250mm
Fuel Type	Petrol

GASOLINE BRUSH CUTTER — STBC1-043



Engine	2 Stroke
Displacement	43cc
Input Power	1.2KW
Fuel Type	Petrol

GASOLINE BRUSH CUTTER — STBC2-5BP

BACKPACK



Engine	2 Stroke
Displacement	43cc
Input Power	1.2KW
Fuel Type	Petrol

SCREW DRIVER 10mm — STSD2-350



HIGH QUALITY

Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	350W
No-load Speed	0-750r/min
Max Chuck Diameter	10mm

CORDLESS SCREW DRIVER — STSD1-12V



Battery	1.5/2 MAH
Input Power	12V
No-load Speed	0-750r/min
Max Chuck Diameter	10mm

HOT AIR GUN — STHG1-200



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	2000W
No-load Speed	480L Max

BLOWER — STBL2-28V



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	650W
No-load Speed	0-16000r/min
Max Capacity Diameter	2.8M²

CUT OFF MACHINE 355mm — STCO1-014



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	2200W
No-load Speed	3800r/min
Max Blade Diameter	355mm

CUT OFF MACHINE 355mm — STCO2-355



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	2200W
No-load Speed	3800r/min
Max Blade Diamete	355mm

WELDING MACHINE — STWM-200J



Welding Type	Arc Welding
Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1 Phase
Current (Ampere)	200AMP

WELDING MACHINE — STWM-250J



Welding Type	Arc Welding
Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1 Phase
Current (Ampere)	250AMP

ANGLE GRINDER 100mm — R-001



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	750W
No-load Speed	11000r/min
Max Disc Diameter	100mm

ANGLE GRINDER 100mm — R-002




Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	850W
No-load Speed	11000r/min
Max Disc Diameter	100mm

ANGLE GRINDER 125mm — R-005




Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1200W
No-load Speed	8500r/min
Max Disc Diameter	125mm

MARBLE CUTTER 110mm — R-007



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1050W
No-load Speed	11000r/min
Max Blade Diameter	110mm

MARBLE CUTTER 110mm — R-008



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1240W
No-load Speed	11000r/min
Max Blade Diameter	110mm

MARBLE CUTTER 125mm — R-009



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1400W
No-load Speed	12000r/min
Max Blade Diameter	125mm

ROTARY HAMMER 20mm R/F — R-011



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	650W
No-load Speed	0-850r/min
Max Chuck Diameter	20mm

ROTARY HAMMER 26mm R/F — R-014



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	850W
No-load Speed	0-1100r/min
Max Chuck Diameter	26mm

DEMOLITION HAMMER 16 KG — R-016



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1800W
No-load Speed	1400r/min
Chisel Diameter	30mm

DRILL MACHINE 10MM — R-017



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	300W
No-load Speed	2600r/min
Max Chuck Diameter	10mm

GASOLINE BRUSH CUTTER — R-018



Engine	2 Stroke
Displacement	52cc
Input Power	1.47KW
Fuel Type	Petrol

GASOLINE CHAIN SAW 550mm — R-020



Engine	2 Stroke
Displacement	62cc
Input Power	3.0KW
Fuel Type	Petrol

PLANNER 82mm — R-022



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	600W
No-load Speed	16000r/min
Max Blade Width	82mm

CONCRETE VIBRATOR 1.5 MTR — R-023



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	780W
No-load Speed	4000r/min
Max Rod Diameter	35mm



ANGLE GRINDER 100mm — YD-101



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	850W
No-load Speed	11000r/min
Max Disc Diameter	100mm

ANGLE GRINDER 100mm — YD-102



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	750W
No-load Speed	11000r/min
Max Disc Diameter	100mm

ROTARY HAMMER 20mm — YD-104



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	600W
No-load Speed	0-850r/min
Max Chuck Diameter	20mm

ROTARY HAMMER 26mm — YD-105



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	800W
No-load Speed	0-900r/min
Max Chuck Diameter	26mm

DEMOLITION HAMMER 5 KG — YD-107



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1050W
No-load Speed	3600r/min
Chisel Diameter	17mm

MARBLE CUTTER 110mm — YD-110



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1050W
No-load Speed	11000r/min
Max Blade Diameter	110mm

MARBLE CUTTER 110mm — YD-111



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1240W
No-load Speed	11000r/min
Max Blade Diameter	110mm

DRILL MACHINE 10mm — YD-115



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	300W
No-load Speed	2600r/min
Max Chuck Diameter	10mm

DRILL MACHINE 10mm R/F — YD-116



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	400W
No-load Speed	0-3000r/min
Max Chuck Diameter	10mm

IMPACT DRILL MACHINE 13mm — YD-117



Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	650W
No-load Speed	0-3000r/min
Max Chuck Diameter	13mm

GASOLINE CHAIN SAW 550mm — YD-122




Engine	2 Stroke
Displacement	58cc
Input Power	2.5KW
Max Bar Length	550mm
Fuel Type	Petrol

DEMOLITION HAMMER 16 KG — YD-165




Rated Voltage	220-240~
Rated Frequency	50/60Hz
Input Power	1800W
No-load Speed	1400r/min
Chisel Diameter	30mm

TCT BLADE YODHA ECO — TCT SAW BLADE



Diameter in mm	Arbor Hole in mm	Teeth
110mm	20.00	30 Teeth
125mm	20.00	30 Teeth

YODHA MARBLE BLADE — DIAMOND SAW BLADE



Size	Diameter in mm	Type
4"	110mm	9 SEG
4"	110mm	RIM
5"	125mm	9 SEG
6"	150mm	12 SEG



GC WHEELS FOR MARBLE

GRINDING WHEELS



Grit	Diameter in mm	Thickness in mm
4# 46	100	3.0
4# 60	100	3.0
4# 80	100	3.0
4# 120	100	3.0

FLAP DISC VELMOC

FLAP DISC



Size	Grit	Diameter in mm
4”	#60	100
4”	#80	100
4”	#120	100

DC WHEELS FOR METAL

GRINDING WHEELS



Product	Diameter in mm	Thickness in mm
RV Series	100	6.0
GV Series	100	6.0
RV Series	125	6.0
GV Series	125	6.0
RV Series	180	6.0
GV Series	180	6.0

FLAP DISC GOLD

FLAP DISC



Size	Grit	Diameter in mm
4”	#60	100
4”	#80	100
4”	#120	100

CUTTING WHEELS

CUT OFF WHEELS



Product	Diameter in mm	Thickness in mm
RV Series	107	1.2
GV Series	107	1.2
RV Series	125	1.5
GV Series	125	1.5
RV Series	180	1.5
GV Series	180	1.5
RV Series	355	2.8
GV Series	355	2.8

FLAP DISC WOOD MASTER

FLAP DISC



Size	Grit	Diameter in mm
4”	#60	100
4”	#80	100
4”	#120	100

NON WOVEN FOR MARBLE


NON WOVEN PAD



Grit	Diameter in mm	Thickness in mm
# 120	100	14
# 220	100	14
# 320	100	14
# 400	100	14
# 600	100	14
# 800	100	14

SAND PAPER


VELCRO PAPER



Size	Grit	Diameter in mm
5”	#46	125
5”	#60	125
5”	#80	125
5”	#100	125
5”	#120	125

NON WOVEN FOR STEEL

NON WOVEN PAD



Product	Diameter in mm	Thickness in mm
U5	100	14
Felt Buff 4”	100	14

FIBER DISC 0.8mm

FIBER DISC



Size	Grit	Diameter in mm
5”	#46	125
5”	#60	125
5”	#80	125
5”	#100	125
5”	#120	125

REDBULL जादू

DIAMOND SAW BLADE



Diameter in mm	Arbor Hole in mm	Type
110mm	20mm	8 SEG
110mm	20mm	RIM
125mm	22.23mm	9 SEG
150mm	22.23mm	12 SEG

VELMOC STONE MASTER

DIAMOND SAW BLADE



Diameter in mm	Arbor Hole in mm	Type
110mm	20mm	THIN TURBO
110mm	20mm	CERAMIC

VELMOC REDBULL

DIAMOND SAW BLADE



Diameter in mm	Arbor Hole in mm	Type
110mm	20mm	8 SEG
110mm	20mm	RIM
125mm	22.23mm	9 SEG

WALL CHASER BLADE

DIAMOND SAW BLADE



Diameter in mm	Arbor Hole in mm	Type
135 mm	20mm	9 SEG

VELMOC REDBULL GRANITE

DIAMOND SAW BLADE



Diameter in mm	Arbor Hole in mm	Type
110mm	20mm	8 SEG
125mm	22.23mm	9 SEG

FLAT CUP WHEEL

CUP WHEEL



Diameter in mm	Arbor Hole in mm	Type
105mm	20mm	Double Row Type

VELMOC DHANUSH

DIAMOND SAW BLADE



Diameter in mm	Arbor Hole in mm	Type
110mm	20mm	8 SEG
125mm	22.23mm	9 SEG

DIAMOND PAD

POLISHING PAD



Grit	Diameter in mm	Grit	Diameter in mm
#0	100	#4	100
#1	100	#5	100
#2	100	#6	100
#3	100		

VELMOC ECO


DIAMOND SAW BLADE



Diameter in mm	Arbor Hole in mm	Type
110mm	20mm	9 SEG
110mm	20mm	RIM
125mm	22.23mm	9 SEG
150mm	22.23mm	12 SEG

POLISHING PAD 5 & 8mm

POLISHING PAD



Grit	Diameter in mm	Grit	Diameter in mm
#30	100	#400	100
#36	100	#600	100
#50	100	#800	100
#60	100	#1000	100
#100	100	#1500	100
#200	100	#2000	100

TCT WOOD MASTER

TCT SAW BLADE



Diameter in mm	Arbor Hole in mm	Teeth
110mm	20mm	30 Teeth
125mm	20mm	30 Teeth

SCREW DRIVER BITS 2 in 1

POWER BITS



Product	Size
PH2/SL6	65mm
PH2	65mm

TCT BLADE PREMIUM SERIES

TCT SAW BLADE





Diameter in mm	Arbor Hole in mm	Teeth
110mm	20.00	30 Teeth
110mm	20.00	40 Teeth
125mm	20.00	30 Teeth
125mm	20.00	40 Teeth
150mm	25.40	40 Teeth
180mm	25.40	40 Teeth
200mm	25.40	40 Teeth
200mm	25.40	60 Teeth
250mm	25.40	40 Teeth
250mm	25.40	60 Teeth
300mm	25.40	40 Teeth
300mm	25.40	60 Teeth
350mm	25.40	60 Teeth
250mm Allu.	25.40	100 Teeth
300mm Allu.	25.40	120 Teeth
350mm Allu.	25.40	120 Teeth

HAMMER DRILL BITS

SDS DRILL BITS



Width	Length	Width	Length
5	110	13	160
5	160	14	160
5.5	110	14	310
5.5	160	14	350
6	110	14	450
6	160	16	160
6.5	110	16	310
6.5	160	16	350
8	110	16	450
8	160	18	210
10	110	18	350
10	160	18	450
10	310	20	210
10	350	20	350
12	160	20	450
12	310	25	210
12	350	25	350
12	450	25	450

MAGNETIC NUT SETTER


NUT SETTER



Size
8 x 65mm

CHISEL BITS


CHISEL



Diameter in mm	Length in mm	Type
14	250	Point
14	250	Flat
17	280	Point
17	280	Flat
17	400	Point
17	400	Flat
18	400	Point
18	400	Flat
30	410	Point
30	410	Flat

DIAMOND STONE

DIAMOND STONE



Size (Inch)
2" x 6"

CUTTING WHEELS

CUT OFF WHEELS



Diameter in mm	Thickness in mm	Type
107	1.2	Red (2net)
107	1.2	Green (2Net)
107	1.2	Black (2net)
125	1.2	Red (2 Net)
125	1.2	Green (2 Net)
125	1.2	Black (2 Net)
355	1.2	Green (1 Net)
355	2.5	Green (2net)
355	2.5	Red (2net)
355	2.5	Black (2net)

GRINDING WHEELS

GRINDING DISC



Diameter in mm	Thickness in mm	Type
100	6.0	Red
100	6.0	Green
100	6.0	Black
125	6.0	Red
125	6.0	Green
125	6.0	Black
180	6.0	Red

MARBLE BLADES

DIAMOND SAW BLADE



Size	Diameter in mm	Type
4”	110mm	9 SEG
4”	110mm	RIM
5”	125mm	9 SEG
5”	125mm	RIM
6”	150mm	12 SEG
7”	180mm	14 SEG
8”	200mm	14 SEG
10”	250mm	18 SEG
12”	300mm	18 SEG
14”	350mm	24 SEG
16”	400mm	24 SEG
4”	110mm	Super Thin Turbo
4”	110mm	Ceramic Zero Chip U Cut

CUP WHEELS

CUP WHEEL



Diameter in mm	Thickness in mm	Type
80mm	5.0	8 SEG
80mm	5.0	RIM

TCT BLADES FOR WOOD

TCT SAW BLADE



Diameter in mm	Arbor Hole in mm	Teeth
110mm	20.00	30 Teeth
110mm	20.00	40 Teeth
125mm	20.00	30 Teeth
125mm	20.00	40 Teeth

CORE BITS (450mm-1-1/4 UNC)

CORE BIT



Size in mm	Size in mm
51mm	152mm
76mm	180mm
102mm	200mm
127mm	

CORE BITS (M10)

CORE BIT



Size in mm	Size in mm	Size in mm	Size in mm
6.5mm	16mm	33mm	45mm
8.5mm	19mm	37mm	50mm
10mm	22mm	40mm	62mm
12mm	26mm	42mm	75mm
14mm			

SCREW DRIVER

HAND TOOLS



Code No.	Width	Length
6100	6mm	100mm
6150	6mm	150mm
6200	6mm	200mm
6250	6mm	250mm
Line Tester- 6813		

HECKSAW BLADE


HAND TOOLS



Size
12”x1/2” (24/24T)
12”x1” (24/24T)
12”x1” (8/24T)


PLANNER BLADE

HAND TOOLS



Size	Size
1”	1 3/4” P
1 1/4”	2” H
1 1/2”	2” P
1 3/4” H	


ARMATURES
SPARE PARTS



FIELD COIL/STATOR
SPARE PARTS



CARBON BRUSHS
SPARE PARTS



SWITCHES
SPARE PARTS



AB WASHERS & SPINDLE
SPARE PARTS



GEAR & PINIONS
SPARE PARTS



STHIL CHAIN SAW SPARES
SPARE PARTS



VIBRATOR SHAFT
SPARE PARTS



CHAIN SAW SPARES

58cc CYLINDER ASSY HQ — SGCS 1101



58CC CYLINDER ASSY REG. — SGCS 1102



SPARK PLUG — SGCS 1103



58CC STARTER — SGCS 1104



EASY STARTER 58CC — SGCS 1105



58CC ROPE ROTOR — SGCS 1106



3.0 ROPE — SGCS 1107



58CC STARTER KNOB — SGCS 1108



58CC OIL SEAL SET — SGCS 1109



58CC SWITCH SET — SGCS 1110



58CC CYLINDER GASKET — SGCS 1111



NEEDLE BEARING — SGCS 1112



58CC FUEL BREATHER ASSY — SGCS 1113



58CC CLUTCH ASSY — SGCS 1114



58CC CHAIN SPROCKET HQ — SGCS 1115



58CC CLUTCH DRUM — SGCS 1116



RIM SPROCKET HQ — SGCS 1117



58CC BRAKE ASSY — SGCS 1118
(CLUTCH COVER ASSY)



58CC AJUSTING SYSTEM — SGCS 1119



CARBURETOR BRASS 3 LEGS — SGCS 1120



58CC MANIFOLD (INLET PIPE) — SGCS 1121



58CC OIL CAP — SGCS 1122



58CC FUEL CAP — SGCS 1123



OIL PUMP — SGCS 1124



58CC STARTER SPRING WITH COVER — SGCS 1125



58CC EASY STARTER SPRING BIG — SGCS 1126



58CC EASY STARTER SPRING SMALL — SGCS 1127



58CC HANDLE — SGCS 1128



58CC DAMPER SET — SGCS 1129



GUIDE BAR RDX/YODHA 22" — SGCS 1130



SAW CHAIN 22" HQ — SGCS 1131



GUIDE BAR 22" HQ — SGCS 1132



GUIDE BAR 16" HQ — SGCS 1133



SAW CHAIN 16" TIGER — SGCS 1134



CARBURATOR BRASS HQ — SGCS 1135



58cc PISTON ASSEMBLY — SGCS 1136



CHAIN LINK — SGCS 1137



FUEL TANK — SGCS 1138



EASY STARTER METAL OLD TYPE — SGCS 1139




ON/OFF SWITCH — SGCS 1140



CHAIN SAW SPARES

AIR FILTER SGCS 1141



EASY STARTER PLASTIC SGCS 1142



EASY STARTER METAL NEW TYPE SGCS 1143



IGINITION COIL SGCS 1144



GUIDE BAR 18" HQ SGCS 1145



SAW CHAIN 18" HQ SGCS 1146



SAW CHAIN 18" TRIGUN SGCS 1147



FLYWHEEL SGCS 1148



FUEL PRIMER PUMP SGCS 1149



WORM SGCS 1150



FUEL PIPE SGCS 1151



AIR FILTER SGCS 1152



MUFFLER SCREW SGCS 1153



SPARK PLUG CAP WITH SPRING SGCS 1154



VACCUM PIPE SGCS 1155



STUD SGCS 1156



MUFFLER SGCS 1157



MANIFOLD BRAKET SGCS 1158



CHAIN CATCHER SGCS 1159



STUD NUT SGCS 1160



DOUBLE STARTER PULLEY SGCS 1161



WRENCH SGCS 1162



TOWER SPRING SGCS 1163



PISTON RING SET SGCS 1164



CHAIN SAW GRINDING WHEEL SGCS 1165



CHAIN SAW FILE SGCS 1166



CLUTCH SPIDER SGCS 1167



FUEL FILTER SGCS 1168



KNOB FOR AIR FILTER SGCS 1169



OIL FILTER SGCS 1170



GASKET SET COMPLETE SGCS 1171



SAW CHAIN 22" VELMOC SGCS 1172



SAW CHAIN VELMOC SGCS 1173
WOOD MASTER TITANIUM




GUIDE BAR 22" VELMOC SGCS 1174
WOOD MASTER



FUEL TANK VELMOC SGCS 1175



CAR WASHER SPARES

STATOR WITH COVER SCWS 901	PUMP ASSEMBLY SCWS 902	CAPACITANCE SCWS 903	CYLINDER/PUMP COVER SCWS 904	WATER SEAL SCWS 905
				
OIL SEAL SCWS 906	ALUMINUM PLUG SCWS 907	ALUMINUM GASKET SCWS 908	PLASTIC GASKET SCWS 909	CYLINDER/PUMP SCWS 910
				
O RING (Φ0*2) SCWS 911	O RING (Φ21*2) SCWS 912	PIN WITH SPRING SET SCWS 913	OVERFLOW VALVE SCWS 914	SUCTION VALVE SCWS 915
				
PROTECTION VALVE SCWS 916	AUTO CUT OFF SWITCH SCWS 917	PRESSURE GAUGE SCWS 918	BEARING COVER SCWS 919	BEARING SCWS 920
				
BEARING SCWS 921	OIL TANK SCWS 922	FAN SCWS 923	FAN COVER SCWS 924	SWITCH SCWS 925
				
OVER-LOAD PROTECTOR SCWS 926	GUN SCWS 927	SPRAYER HOSE HEAVY SCWS 928	SPRAYER HOSE WHITE SCWS 929	INLET HOSE SCWS 930
				
CONNECTOR SCWS 931	QUICK CONNECTOR SCWS 932	FILTER SCWS 933	FOAM BOTTLE SCWS 934	CONNECTOR FOR FOAM BOTTLE SCWS 935
				
PRESSURE VALVE SCWS 936 FOR VELMOC WASHER	WATER SEAL SCWS 937 FOR VELMOC WASHER	PRESSURE PUMP SCWS 938 FOR VELMOC WASHER	GUN WITH ROD SCWS 939 90 DEGREE DEGREE NOZZLE	
				

BRUSH CUTTER SPARES

TRIMMER HEAD A — SBC 01



TRIMMER HEAD B — SBC 02



TRIMMER HEAD C — SBC 03



BLADE 2T — SBC 04



BLADE 3T — SBC 05



BLADE 8T — SBC 06



BLADE 40T — SBC 07



ALLOW BLADE 10" X 60 — SBC 08



PADDY GUARD WITH FRAME — SBC 09



ROTARY TILLER ATTCHMENT A — SBC 10



ROTARY TILLER ATTCHMENT B — SBC 11



ROTARY TILLER ATTCHMENT C — SBC 12



CYLINDER KIT 52 CC HQ — SBC 13



CRANK SHAFT — SBC 14



PISTON ASSY. — SBC 15



CRANK CASE ASSY. — SBC 16



AIR FILTER ASSY. — SBC 17



PISTON RING — SBC 18



FUEL TANK — SBC 19



CARBURETOR SCREWS — SBC 20



IGNITION COIL — SBC 21



CARBURETOR DIAPHRAGM — SBC 22



AIR FILTER ASSY — SBC 23



CLUTCH ASSY — SBC 24



REWIND SPRING — SBC 25



REWIND SPRING (E) — SBC 26



CLUTCH PLATE — SBC 27



FUEL COVER — SBC 28



OIL SEAL SET — SBC 29



GASKET SET — SBC 30



FUEL HOSE WHITE — SBC 31



FUEL TANK RUBBER — SBC 32



CARBURETOR — SBC 33




CLUTCH SPRING, 47MM — SBC 34



STARTER ASSY. — SBC 35




THROTTLE CABLE — SBC 36



NYLON WIRE — SBC 37

3.0 X 50 MTR SQUARE



BRUSH CUTTER BLADE — SBC 38

10 X 80T



Stop Pollution, Plant more Trees, Save Nature...

"Taking care of the environment is not an obligation, our environment is our life."




VELMOC®
it helps to create
INDUSTRIAL POWER TOOLS
//velmoctools
www.velmoctools.com